

**Pickett
Building
Materials**



**Oneonta
Block
Company**

www.pickettbuildingmaterials.com
www.oneontablock.com



**\$10
MAIL-IN
REBATE**

JULY 23 - AUGUST 6

Get \$10 back per gallon container, \$40 back per five-gallon container. Maximum rebate \$80. See in-store rebate coupon for details.

MAINTAIN YOUR DECK!



64⁹⁹

Park Bench
Steel with antique
bronze finish.
215 6198

INSTANTHEAT
WOOD FUEL PELLETS

\$229 Per Ton
Picked Up

**Premium
Wood Pellets**

100% pure wood fiber
hardwood by-products.
Is environmentally safe.
Contains less than 1% ash
per volume. 40 lb. bags.



31⁹⁹ After
Rebate

**Gal. Australian
Timber Oil**

Use on mahogany,
teak and other
exotic hardwood
surfaces. Dries to
a flat, translucent-
toned finish. 128 1997



24⁹⁹ After
Rebate

Gal. DeckCorrect™

Covers and corrects worn,
weathered, exterior wood
and concrete.
652 2262

5 Gal. **169.95**



19⁹⁹

Gal. Clear Waterproofer

Water-based silicone
coating. Designed to provide
protection on a multitude
of surfaces. Model 1000
417 3860



30⁹⁹ After
Rebate

Gal. Semi-Transparent Stain

Linseed oil-based stain. Allows the
grain, texture and color variations
within the wood to show through.
Water repellent. 452 7917

30⁹⁹ After
Rebate

**Gal. Semi Solid Color
Oil Decking Stain**

Heavily pigmented and opaque to
offer maximum color and coverage.
Tintable to unlimited colors.
Superior durability. Use on exterior
wood surfaces. 618 1853

29⁹⁹ After
Rebate

Gal. Clear Solution®

Formulated with a blend of resin
and oil to provide a natural finish
for bare wood. Dries to a flat,
translucent-toned finish. 725 2067

30⁹⁹ After
Rebate

**Gal. Solid Color
Acrylic Decking Stain**

For use on wood decking, outdoor
furniture and fencing, as well as
cement patios and walkways.
Long lasting, water repellent and
fade resistant. 328 2662



Roofing Shingles

\$33 Bdl.

Marathon Ultra
Traditional 3-tab design.
Fiberglass asphalt shingle.
Limited 30-year warranty.
Limited wind warranty
coverage up to 60/mph.

\$28 Bdl.

Cambridge AL Limited
Heavyweight architectural
shingle with classic wood
shake design. Many colors
to choose from.



28⁰⁰ Bdl.

Atlas Pinnacle Roof Shingles

Features oversized shingle dimensions, distinct shadow lines and random cuts to ensure the added dimension and charm of a multi-layered wood shake shingle. Defends against algae streaks and helps retain original color. 130-mph limited wind warranty with HP Technology.

36" x 33.3' WeatherMaster® 200 SE Granular Water Barrier Underlayment.....48.79

48" x 250' Summit 60 Synthetic Underlayment.....79.99



22⁹⁹



6" x 33' Protecto Seal 45
All-weather, all-purpose, peel and stick. Seals rain gutters, around skylights and joints on HVAC units. 754 8167



14⁹⁹



6" x 150' Roof Repair Fabric

For use in waterproofing compounds for basement foundation cracks. Use with any roof cement. 631 3738



13⁹⁹

4" Window Wrap

100' roll. For sealing windows, doors and building joints. 847 5188



6" 685 0226.....**19.99**

25⁹⁹



2½" x 50' Zinc Mildew Preventer

Exposed to weather, small amounts wash down the roof, inhibiting the growth of mildew or moss. Can be nailed or glued. 329 8627



WE HAVE ALL YOUR ROOFING NEEDS

Pro-Panel II® Metal Roofing

Pro Panel II-Galvanized

- Exposed fastened, low profile panel
- 36" panel coverage
- Trapezoid rib on 9" center
- 5/8" rib height
- Applies over open framing or solid substrate
- Galvanized in stock

8'	17.92
10'	24.40
12'	29.28
14'	34.16
16'	39.04



39⁹⁹

Edge Roll Reflective Foil Insulation

Easy installation. Scissors and a staple gun are all you need. All season performance. Great for insulating radiant heating systems. 5/16" thick, multi layer, double bubble reflective insulation. Reflects 94% of radiant heat. Class 1, Class A fire rating. 638 3442

48" x 50' Sq. Edge Roll **79.99**

16" x 25' Staple Tab Roll **16.95**



65⁹⁹

6" x 24" Insulated Chimney Pipe

Optimum density of insulation stops expansion noises and resists and contains surges of heat. This allows the system to be enclosed, with only 2" clearance to combustibles. The mixture of extremely fine fibers traps this air in the pores of the insulation and blocks radiation heat transfer. 804 6419

36" 195 475989.99


48" 009 986199.99



Henry

8⁹⁹

Gal. Roofers Choice Wet 'N Dry Roof Cement
Covers 12.5 sq. ft. Repairs leaks. 427 8479



Henry

34⁹⁹

5-Gal. Roof Coating
Fibered. FRC5G



39⁹⁹

Gal. Through the Roof! Sealant

Clear, brushable roof sealant. Waterproof, repels water immediately after application. UV resistant. 6012413



48⁹⁹

5-Gal. Aluminum Roof Coating
Fibered. ALRC5G



30⁹⁹

1-1/4" Coil BOSTITCH Roofing Nail

7,200 per box. Smooth shank, galvanized. For use in any coil roofing nailer. Model CR3DGAL 6820500



5⁴⁹

10.5 Oz. Through the Roof! Sealant

Clear elastic sealant. Excellent adhesion to rooftop materials. Waterproof. Easy to apply. 6012389



53⁹⁹**Milwaukee**

1/4-Sheet Palm Sander
3.0 amp, 14,000 OPM.
Powerful, light-weight motor.
Model 6020-21 7604630

**79⁹⁹****Milwaukee**

5" Random Orbit Palm Sander
Variable speeds of
7,000-12,000 OPM. 3 amp.
Electronic soft start controls.
Model 6034-21 0566364

**98⁹⁹**

4-1/2" Small Angle Grinder
11 amp, 11,000 RPM motor.
Provides maximum performance
and durability. Model 6146-30
4614343

**119⁹⁹****Milwaukee**

Sawzall® Reciprocating Saw Kit
12 amp, 0-3,000 SPM. 3/4"
stroke length. Includes carrying
case. Model 6509-31 4201455

**119⁹⁹****Milwaukee**

Circular Saw
3.25 HP Cushion front grip/rear
handle. Wide, clear sight line,
superior blade visibility from
either side. 6146732

**189⁹⁹ BOSTITCH**

Framing Stick Nailer
Use for framing. Lightweight.
Model F28WW
756 6698

**259⁹⁹ BOSTITCH**

Framing Nailer Gun
1,050-in.-lbs. of driving power.
Magnesium housing. Lightweight.
Model N89C-1 745 8839

**189⁹⁹ BOSTITCH**

Industrial Coil Roofing Nailer
Magnesium housing
for job site durability.
Model RN46 225 1452

39⁹⁹ NATIONAL NAIL

CAMO Marksman Pro
Tool positions CAMO deck
screws for side-angle entry
to the deck board to create
a fastener-free deck surface.
Provides automatic 3/16" spacing between boards, and has
dual screw guides that enable both sides of the board to be
fastened to the joist with single tool placement. 518 9071

**12⁹⁹**

12-Pocket Apron
5 main nail and tool
pockets and 6 smaller
pockets. 2" wide web
belt. 626 55081

**79⁹⁹ shop-vac**

Wet/Dry Shop-Vac®
Onboard accessory
storage and stainless
steel tank. Vac has
blower feature. Lock-on
hose 1.25" wide hose, and
6' cord. 286 9576

**Filter 610 6876..... 11.99****Accessories 671 5445 .. 12.99**

TOOLS TO COMPLETE ANY JOB

17⁹⁹

4' x 8' Heavy-Duty Pressure-Treated Lattice Panel

Treated & stapled at each intersection for extra durability. No need for painting or staining - weathers to gray.

**109**

2" x 2" x 42" Treated Spindle

One end is tapered.
Resists rot and decay.

2" x 2" x 36" Colonial 1.99

8' Colonial Treated Handrail 8.99

**9⁹⁹**

3 Step Pressure-Treated Stair Stringers

Resists insects, rot and decay to deliver years of dependable service.

4 Step 11.99

5 Step 15.99

**16⁹⁹ STANLEY**

30' PowerLock® Tape Measure

Easy readability with Mylar® coated wide blade and 8' tape stand-out. 3-rivet, corrosion-resistant hook. Blade lock. 948 4957

**15⁹⁹ STANLEY**

Tool Box Saw

Contractor grade. Aggressive tooth design. 620 0141

**7⁹⁹ STANLEY**

Fatmax™ Retractable Utility Knife

Blade wiper removes excess dirt and protects knife. 677 5795

**10⁹⁹ IRWIN**

Speedline Chalk Line

Easy fill and lock top features a large, 1/4-turn locking top for quick chalk fill. 705 9215



Gutters & Downspouts

Gutters resist clogging by ice and debris while downspouts convey water to ground for discharge.

10' White or Brown Vinyl Gutter
Model RW100, RB100 105-155, 534-156

Your Choice **4⁹⁹**

10' White or Brown Vinyl Downspout
Model RW200, RB200 113-399, 534-230

Your Choice **10⁴⁹**

6⁹⁹ Amerimax

Green Splashblock
Stabilized to help prevent fading. Needs no anchoring. 1564046

**2³⁹ Amerimax**

Aluminum Gutter Strainer
Easy installation. Adjust to fit. 6743231

**28⁹⁵ Amerimax**

5" x 12' Aluminum Gutter
Heavy-duty, .032 gauge. Hi-tensile strength. Available in White or Brown. In stock.

16' 37.95

21' 48.95

10' Downpipe 2x3 11.95





Finger-Joint Primed Pine

Primer is not intended to be used as a finish coat. Finish coats must be applied within 30 days of installation. If longer than 30 days, the primed surface should be cleaned and field-primed prior to finish coat applications. Two finish coats of high-quality latex paint are recommended and should be applied according to the paint manufacturer's instructions.



1x6x16' T&G Edged & Center Bead

27.95
Ea.



1x4x16'	20.89
1x6x16'	30.37
1x8x16'	41.89
5/4x4x16'	28.99
5/4x6x16'	42.99

Premium Eastern White Pine

Size	8'	10'	12'	14'	16'
1x4	4.00	5.00	6.00	7.00	8.00
1x6	6.00	7.50	9.00	10.50	12.00
1x8	8.32	10.40	12.48	14.56	16.64
1x10	10.40	13.00	16.59	18.20	20.80
1x12	12.56	15.00	18.84	21.98	25.15

Spruce Framing Lumber

Size	2"x4"	2"x6"	2"x8"	2"x10"	2"x12"
8'					-
10'					
12'					
14'					
16'					
20'					
24'					

CALL FOR PRICING
607-432-8391 or



ACQ Pressure-Treated Lumber

For decks, gardens, playgrounds and wetlands. The safer alternative to CCA-treated lumber, with comparable performance and pricing.



Size	8'	10'	12'	14'	16'
2" x 4" #1					
2" x 6" #1					
2" x 8" #2					
2" x 10" #2					
2" x 12" #2					
4" x 4" 1.4					
6" x 6" .23					
5/4" x 6" #2					

CALL FOR PRICING
607-432-8391 or



37.50

11' Treated Diamond Rail Fence
Section - 2 rails,
1 line post.

3 Rail **50.00**



WOOD AND SIDING SELECTIONS

MARVIN
Windows and Doors
Built around you.

YOUR HOME DOESN'T LOOK LIKE ANY OTHER HOUSE ON THE BLOCK.

Marvin® will help you keep it that way.



Created by a tight-knit group of local artisans, Dutch Quality Stone veneers exhibit all the unique qualities of nature in a range of dependable, easy-to-install options for homes and commercial properties. It's what can happen when the exacting standards of traditional craftsmen are applied to modern processes. And it makes all the difference.




Ledgestone

Natural Blend
The choice for adding truly rugged character to your space.
Flats **80.21** box
Corners **65.84** box



Weather Ledge

Elkwood
Gives moderate shadow relief.
Flats **70.95** box
Corners **65.84** box



Dry Stack

Pennsylvania
An exceptionally efficient option.
Flats **74.04** box
Corners **65.84** box



Tuscan Ridge

Sienna
Creates the impression of traditional Italian stone masonry.
Flats **61.70** box
Corners **65.84** box

4 STYLES
IN STOCK



179
Ea.

Windsor Stone®

4" x 12" x 8". Ideal for larger tree rings, garden rings and curved wall projects. Cost-effective and low-maintenance solution for landscaping projects. Choose from Natural Gray, Desert Tan, Rawhide or Victorian Red.



Starting At
1233
Sq. Ft.

Anchor Highland Stone® Retaining Wall

This stone system can reach heights of 4 feet without reinforcement, and is a more reliable and economical alternative to more natural stone walls. We've added the jumper accessory unit. Use it throughout your project to create an even more unexpected, natural-looking effect.



625
Ea.

Anchor Diamond®

6" x 17" x 12". For an attractive retaining wall with enduring performance, Anchor Diamond is the perfect choice. Walls can reach heights in excess of 30'. Choose from Natural Gray, Desert Tan, Rawhide, Victorian Red or Storm.



Starting At
1300
Sq. Ft.

Anchor Highland Stone® Free Standing Wall

It's crafted with the same earthen colors and rough-hewn texture that make a top choice for retaining walls. Great for seating areas, borders and columns. The blocks are available in three different sizes, giving walls a more natural look.



Pricing is for products picked up at yard – DELIVERY EXTRA

CREATE THE PATIO OF YOUR DREAMS



179
Ea.

Curved Edging Stone

12" x 6". Choose from Red or Pewter. In stock.

24" x 6" Straight...**2.69** Ea.



1195
Ea.

SmartCast® Diamond

24" x 24". A traditionally popular pattern that emphasizes complete slab paver uniformity. White in stock. Model N2424DW

24" x 30" Model N2430DW...**14.95** Ea.




695
Ea.

SmartCast® Brick

16" x 16". Provides a blend of lines and a brick imitation surface. Pewter and Red in stock.

24" x 24"...**13.49** Ea.



895
Ea.

Tuscanni™ 40

16" x 16". Emulates natural stone. 2 colors in stock.

16" x 24"...**11.95** Ea.

24" x 24"...**17.95** Ea.



CONCRETE STONE & TILE CORP.
Artistry in Concrete

41¢ Mini Small **61¢**
82¢ Square Large **124**

The Roman Cobble Paver System

Combines the classic look of yesterday with the successful regal look of today. With a combination of five sizes, plus the Roman Cobble Fishscale and Circle kits, the paver designs are limited only to your imagination!



Picked Up at Yard—
Delivery Extra



39.99

25-Lb. "Contractor's" Mixture Grass Seed

Germinates in 14 to 21 days.
386 7751



1199

Qt. Paver Clean Mold, Moss & Mildew Cleaner

Concentrated formula.
Non-acidic, no-bleach formula.

Gal.**21.99**



July 23 - August 6

valspar Staycation Rebates

Get up to \$80 back on your favorite Valspar® paint.



**\$10
MAIL-IN
REBATE**

on Medallion®, Interior & Exterior per gallon/\$40 per 5-gallon

22⁹⁹ After Rebate
Gal. 100% Acrylic Latex Interior Flat Paint
One-coat coverage. Stain and spatter resistant. White. 640 4891

23⁹⁹ After Rebate
Gal. 100% Acrylic Latex Interior Eggshell Paint
One-coat coverage. Scrubbable. Stain and spatter resistant. White. 639 6873

25⁹⁹ After Rebate
Gal. 100% Acrylic Latex Interior Semi-Gloss Paint
One-coat coverage. Scrubbable. Spot and stain resistant. White. 639 7863

24⁹⁹ After Rebate
Gal. 100% Acrylic Latex Interior Satin Paint
One coat coverage. Scrubbable. Stain and spatter resistant. White. 348 0258

23⁹⁹
Gal. Interior Latex Wallboard Primer
For drywall, plaster and concrete block. White. Model 44-990 641 1003



26⁹⁹ After Rebate
Gal. Latex Flat House Paint
For wood or masonry. High hide, no fade. Model 27-4550 640 6961

29⁹⁹ After Rebate
Gal. Latex Semi-Gloss House Paint
100% acrylic latex. Weather resistant. Model 27-4300 640 6870

19⁹⁹
Gal. Interior Latex Ceiling Paint
High hiding power. Reduced drip and spatter. Extra-flat, no-glare finish. 638 7914

14⁹⁹
Gal. Latex New Construction Primer
Ideal for airless spray. Seals tape joints and wallboard. 862 4348

26⁹⁹
Gal. Prep-Step Exterior Latex Primer
Recoat in two hours. For any wood surface except redwood and cedar. 640 5724

FRESHEN UP WITH A COAT OF PAINT

SRW PRODUCTS
solid solutions to better landscapes



395 10-Oz.
795 29-Oz.
Retaining Wall & Paver Adhesive

The strongest adhesive of its kind. Professionals depend on it for its superior strength and time-tested performance. Formulated especially for masonry, concrete, brick, block, pavers and common landscaping materials. Use for bonding frozen, damp surfaces.

SRW PRODUCTS
solid solutions to better landscapes

\$110
Woven Fabric
6' x 100'. Provides excellent puncture and tear resistant properties, along with high tensile strength.
12'5" x 432"
Model W12432 **350.00**



22⁰⁰ SRW PRODUCTS
Gal. Paver Wash
Easy-to-use solution. Revitalizes matured pavers.



26⁵⁰
Qt. Cleaner & Degreaser
A concentrated spot treatment cleaner that removes grease, oil and dirt from paver surfaces.

27⁹⁹
Gal. Penetrating Paver Seal
Repels water and stains. Long lasting protection against damaging elements. Easy application.
5-Gal. **129.99**



27⁹⁹
Gal. Low Gloss Paver Seal
Enhances paver color. Stabilizes joint sand from washout, weeds and ants.
5-Gal. **129.99**



89⁹⁹
6' Fiberglass Stepladder
Equipped with DA BOOT and molded top with tool slots. Thick non-marring thermoplastic elastomer tread is bonded and mechanically fastened. 300 Lb. rating. 0151332



LOUISVILLE LADDERS

8' 300 Lb. rating. 6303895. **120.29**
10' 300 Lb. rating. 6597660. **184.89**
12' 300 Lb. rating. 6597520. **239.99**

53⁸⁹ WERNER
Emerald Type 2 Fiberglass Stepladder
Tool-Tra-Top™ molded for tools, quart can and convenient small parts tray.
4' Model 5906 6292361
6' 6292494 **59.99**
8' 6292502 **83.79**

69⁹⁹
Blue Type 1 Fiberglass Stepladder
250 Lb. duty rating. Tool-Tra-Top™ molded for tools, quart can and convenient small parts tray.
6' Model 6006 6817712
8' 6355150 **99.99**

209⁹⁹
Green Type 2 Fiberglass Extension Ladder
Flat D rung. Commercial duty, 225-lb duty rating. 21' max working length. OSHA & ANSI approved.
24' Model D5924-2 6739825



36⁹⁹  **JUSTRITE®**

5-Gal. Gas Can

Heavy-duty, high grade coated steel construction with reinforcing ribs to strengthen sidewalls to resist chemicals and stand up to heavy abuse. 633 5756



 **Scepter**
SYMBOL OF QUALITY

16⁹⁹

5-Gal. Gas Can

Features variable flow, automatic venting, automatic locking when lever is released, and an airtight seal when not in use to reduce spills. 449 6204



 **Scepter**
SYMBOL OF QUALITY

16⁹⁹

5-Gal. Kerosene Can

Automatically closing, self-venting, self-regulating spout and child resistant closure cap. 449 6220



6⁹⁹

Gal. Paint Thinner

For all types of oil-based paint, enamel & varnish. Cleans brushes, rollers and spray equipment. Model GKPT94400 8506560


 **Klean Strip**



5⁹⁹

10' x 12' Blue Poly Tarp

Specially treated with UV and sunlight-resistant formula. 911 4158



 **BLASTER**
WORKS LIKE A PRO

3⁹⁹

12-Oz. PB Blaster Penetrating Oil

Frees stubborn, rusted or immobilized parts. 628 927



HOME CARE BASICS

7⁹⁹  **QUIKRETE®**

10-Lb. Quick-Setting Cement Mix

Specially formulated to set in approximately 10 minutes. 979 8802



5⁹⁹

10-Oz. Sikaflex Concrete/Masonry Sealant

For sealing expansion joints, gaps and cracks in horizontal concrete and masonry. 344 8438



29-Oz. 058 9994 **12.99**

10⁹⁹

Acrylic Sealant Exact Color DIY Pack

Use to color match or highlight an architectural feature with a contrasting color caulk. 254 4898



2⁹⁹  **Frost King**

1/2" x 20' Poly Foam Caulk Saver

Used behind caulks to fill wide cracks and save on regular caulking. Moisture repellent. 001 9729



23⁹⁹  **UGL®**

Gal. White Latex DryLok Waterproofing

Low odor. Dries quickly. For indoor or outdoor use. 629 3153



5-Gal. 629 3278 **109.99**

3⁹⁹  **MintCraft™**

10.1-Oz. Silicone Caulk

Watertight seal offers outstanding flexibility and minimal shrinkage. Manufacturer 50-year durability guarantee. Clear. 463 2303



6⁵⁹  **SASHCO**
Proudly Made in the U.S.A.

10.5-Oz. Lexel Caulk

Easy to apply. Hides flaws as it seals and protects. Clear. 818 8195

5⁹⁹

Professional Caulking Gun

Hex rod with parallel frame. Recommended for all grades of caulks, sealants and adhesives. 683 0988



 **BOSS**

2³⁹

Flexi-Grip Latex Gloves

Textured latex coated palm for superior grip. Flexible knit wrist seals out dirt. Excellent garden and multipurpose glove. 724 3892



ATLAS GLOVE

3²⁹

Nitrile Gloves

Durable nitrile palm coating; comfortable 13-gauge seamless knit; gray on black; ergonomic design; machine washable; use for construction, gardening or yard work. 104 6416



 **HENRY**

3⁴⁹

40. Ct. Scrubbers

7" x 10" specially formulated, pre-moistened, water-based, dual-textured towels that safely and quickly, clean your hands. Reg. 7.29 177 2730



 **STAR-TON**

5⁹⁹

8-Oz. Enzyme Fuel Treatment

For all 2 & 4-cycle gasoline engines. Treats up to 48 gallons. 462 3328



16⁹⁹  **FIRST ALERT**

Multi-Purpose Fire Extinguisher

Rechargeable home fire extinguisher. UL rated 1-A:10-B:C. Effective against fires involving paper, wood, textiles and plastics as well as flammable liquid fires and electrical equipment fires. Corrosion resistant metal valve trigger for maximum control. 619 1811



 **SYLVANIA**

2⁷⁹

LED 8.5W Lamp

11,000 hours average life. No warm-up time, instant-on with full light output and stable color. 001 4480



 **MINTCRAFT™**

16⁹⁹

Lobby Dustpan with Wheels

30" handle, flip-lock mechanism secures dustpan while in use. 028 1204



5²⁹  **DUXTON**

Corn Whisk Broom

Sturdy metal hang-up feature. 270 4245



 **DUXTON**

9⁹⁹

Bench Brush

Plastic handle with flagged poly fibers. 908 9327



 **MINTCRAFT™**

5⁹⁹

Household Corn Broom

Premium 100% corn fiber picks up light dirt and dust. 103 5948



 **SCOTT**

10⁹⁹

200-Ct. Boxed White Rags

Works like a cloth. Absorbs coatings, paints and stains. Reusable. White. 671 4356



FIRE SAFETY

Imperial

8⁹⁹

2-Lb. Creosote Conditioner

Effective against scale & soot in wood burning systems. 538 5539



Imperial

14⁹⁹

Stove Thermometer

For use on single wall stove pipe. Indicates correct operating temperature. 501 5292



Imperial

8⁶⁹

10.3-Oz. Silicone Sealant

Flexible waterproof silicone sealant. Use on metal, glass, wood and plastic. 538 5596



First Alert

23⁹⁹

Smoke Alarm

10-year lithium powercell. Low profile compact round battery powered photoelectric smoke alarm with silence feature. 371 9291



319⁹⁹ SELKIRK

6" Thru-The-Wall Support Kit
For a wall-supported chimney system with a horizontal connector passing through an exterior wall, connecting to a tee and running vertically up the exterior wall termination above the roof line. 256 5752

209⁹⁵ SELKIRK

6" Chimney Flat Ceiling Kit
Includes support package and termination parts for a chimney that is supported by a flat ceiling and passes through an attic area, penetrating the roof. 173 8509



Imperial

12⁹⁹

6" Wire Chimney Brush

Stiff, oil tempered spring wire bristles. 1/4" pipe threads. 495 8563

8" 305 9938 **14.99**

8"x8" Square 390 3887 **19.99**

8"x11" Square 855 5948 **23.99**

Chimney Brush Rod
105 3339 **5.99**

VESTAL

29⁹⁹

8" x 8" Cast Iron Cleanout Door

Allows debris to be swept and removed that has collected in the chimney. 621 2468



28⁹⁹ HYC Company, Inc.
THE MARK OF QUALITY, SINCE 1947

9" x 9" 24-Gauge Chimney Cap

Black painted over galvanized steel. 632 1475

9" x 9" Stainless Steel
632 1400 **42.99**

Imperial

5⁹⁹

3/8" x 6' Gasket Rope

Replacement gasket for airtight stoves, fireplaces inserts and coal or pellet stoves. 237 3355

1/4" x 6' 196 9328 **3.99**



CHIMNEY AND STOVE NEEDS

SNAP-RITE®
Stove Pipe and Elbow
24 gauge. Black.

7⁹⁹

Pipe 6" 836 5108

8" 836 5306 **9.99**

Imperial



6⁹⁹

Adjustable Elbow

4-piece. 6" 836 5637

8" 836 6353 **8.99**



19⁹⁹

6-Gal. Ash Pail

Features sturdy handle and locking lid. 501 6522

3⁹⁹ MintCraft™

19" Iron Ash Shovel

Black. 764 2291



5⁹⁹

16-Oz. Firestarter Gel

Odorless & smokeless. Lights instantly. Non-toxic. 538 5471

21⁹⁹

Chimney Fire Extinguisher

Protect your home from chimney fires, extinguishes chimney fire in seconds. 538 5752



Imperial

PICKETT BUILDING MATERIALS

6459 State Highway 23, Oneonta, NY 13820

PHONE (607) 432-8391 FAX (607) 433-6284

email address: pbm@PickettBuildingMaterials.com

website: www.oneontablock.com

www.pickettbuildingmaterials.com

Store Hours

Monday - Friday 7 am - 6 pm,

Saturday 8 am - 4 pm

Sunday Closed



Don't forget to check out our website and "Like" us on Facebook!

Sale Starts 7/23/17

Sale Ends 8/6/17



Pickett Building Materials



Oneonta Block Company